

# SAFETY DATA SHEET

Prepared in accordance with the Globally Harmonized System (GHS Rev. 7) as adopted under the Australian Work Health and Safety Regulations and the Safe Work Australia Code of Practice for the preparation of SDS

Version 2.2 (September 2026), supersedes all earlier issues

## SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Field                   | Detail                                                           |
|-------------------------|------------------------------------------------------------------|
| Product identifier      | Scent Room Aqua Universalis Extrait de Parfum                    |
| Product code            | SR-EDP-AQUA-UNIVERSALIS-100ML                                    |
| Product type            | Fine fragrance, alcohol-based (Extrait de Parfum)                |
| Recommended use         | Personal fragrance applied to the skin                           |
| Restrictions on use     | Not for ingestion. Keep away from the eyes.                      |
| Supplier / manufacturer | Scent Room (ABN 57 483 020 269), Australia                       |
| Address                 | Suite 99, Shop 4, 255 Edmondson Ave, Austral NSW 2179, Australia |
| Business telephone      | 02 9191 7381 (business hours, AEST)                              |
| Email                   | hello@scentroom.com.au                                           |
| Emergency telephone     | Poisons Information Centre 13 11 26 (24 hours, Australia)        |
| SDS date                | September 2026                                                   |

## SECTION 2: HAZARDS IDENTIFICATION

| Classification                                 | Detail                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GHS classification                             | Flammable liquid, Category 2 (H225); Eye irritation, Category 2A (H319); Skin sensitisation, Category 1 (H317)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Hazard pictograms                              | GHS02 (flame) and GHS07 (exclamation mark)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Signal word                                    | DANGER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Hazard statements                              | H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Precautionary statements: prevention           | P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical and lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing spray. P264 Wash hands thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves and eye protection when handling bulk quantities. |
| Precautionary statements: response             | P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice. P337+P313 If eye irritation persists: Get medical advice. P370+P378 In case of fire: Use alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.                                                                                                                  |
| Precautionary statements: storage and disposal | P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents and container in accordance with local regulations.                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other hazards                                  | Vapours are heavier than air and may travel to an ignition source. Not classified as hazardous to the aquatic environment at the concentrations used.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

## SECTION 3: COMPOSITION AND INFORMATION ON INGREDIENTS

| Component                                | CAS No.   | Concentration (w/w) | GHS classification                                         |
|------------------------------------------|-----------|---------------------|------------------------------------------------------------|
| Ethanol (denatured perfumer's alcohol)   | 64-17-5   | 60 - 75 %           | Flam. Liq. 2 H225; Eye Irrit. 2A H319                      |
| Fragrance compound (proprietary mixture) | Mixture   | 30 % (nominal)      | Skin Sens. 1 H317 where the constituents below are present |
| Water                                    | 7732-18-5 | < 5 %               | Not classified                                             |

Fragrance constituents classified as skin sensitisers present at or above the 0.1 % disclosure threshold, with their concentration range in the finished product (30 % fragrance compound):

| Constituent                                                    | CAS No.    | Concentration in product |
|----------------------------------------------------------------|------------|--------------------------|
| p-tert-Butyl- $\alpha$ -methylhydrocinnamic aldehyde (p-BMHCA) | 80-54-6    | 1 - 5 %                  |
| 5-(2,2,3-Trimethyl-3-cyclopentenyl)-3-methylpentan-2-ol        | 65113-99-7 | 0.1 - 1 %                |
| Benzyl salicylate                                              | 118-58-1   | 1 - 5 %                  |
| Cyclamen aldehyde                                              | 103-95-7   | 0.1 - 1 %                |
| Geraniol                                                       | 106-24-1   | 0.1 - 1 %                |
| alpha-Methyl-1,3-benzodioxole-5-propionaldehyde (MMDHCA)       | 1205-17-0  | 0.1 - 1 %                |
| Citronellol                                                    | 106-22-9   | 0.1 - 1 %                |
| Limonene                                                       | 138-86-3   | 1 - 5 %                  |
| Linalool                                                       | 78-70-6    | 0.1 - 1 %                |

Contains fragrance allergens on the EU cosmetic declaration list (Regulation (EU) 2023/1545): Benzyl salicylate; Linalool; Linalyl acetate; Limonene; Butylphenyl methylpropional; Geraniol; Citronellol; Pinene; Tetramethyl acetyloctahydronaphthalenes (Iso E Super); Hexamethylindanopyran; Geranyl acetate; Citral; Terpineol; Hydroxycitronellal; Citrus peel oil; Eucalyptol; beta-Caryophyllene; Terpinolene; Carvone; alpha-Isomethyl ionone.

Constituents below the disclosure threshold are not listed. The full formulation is commercially confidential and is held on file; it will be made available to a medical practitioner, poisons information centre or regulator on request.

## SECTION 4: FIRST AID MEASURES

| Route                   | Action                                                                                                                                                                        |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin contact            | Wash with soap and water. Remove contaminated clothing. If irritation or a rash develops, get medical advice.                                                                 |
| Eye contact             | Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If irritation persists, get medical attention.            |
| Inhalation              | Move to fresh air. If symptoms persist, get medical advice.                                                                                                                   |
| Ingestion               | Do NOT induce vomiting. Rinse mouth with water. Contact the Poisons Information Centre on 13 11 26 or a doctor. Ethanol ingestion by children can cause serious effects.      |
| Most important symptoms | Eye irritation and redness. Skin irritation or allergic skin reaction in sensitised individuals. Drowsiness or dizziness if vapours are inhaled in a poorly ventilated space. |
| Notes to physician      | Treat symptomatically.                                                                                                                                                        |

## SECTION 5: FIRE-FIGHTING MEASURES

| Property                     | Detail                                                                                                                                                                     |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Flash point                  | Approximately 18 - 22 degrees C (closed cup); estimated from the ethanol content, not measured                                                                             |
| Suitable extinguishing media | Alcohol-resistant foam, dry chemical powder, carbon dioxide, water spray or fog                                                                                            |
| Unsuitable media             | Full water jet (may spread the fire)                                                                                                                                       |
| Specific hazards             | Highly flammable liquid and vapour. Vapours form explosive mixtures with air (ethanol 3.3 - 19 % v/v) and are heavier than air. Closed containers may rupture when heated. |

|                                        |                                                                                                            |
|----------------------------------------|------------------------------------------------------------------------------------------------------------|
| Protective equipment for fire-fighters | Self-contained breathing apparatus and full protective clothing. Cool exposed containers with water spray. |
|----------------------------------------|------------------------------------------------------------------------------------------------------------|

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Remove all ignition sources. Ventilate the area. Wear gloves and eye protection for bulk spills. Contain and absorb with sand, earth or vermiculite and place in a labelled container for disposal. Do not allow large quantities to enter drains or waterways. Small consumer-size spills can be wiped up and the area rinsed with water.

## SECTION 7: HANDLING AND STORAGE

| Category   | Guidance                                                                                                                                                                                                                        |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Handling   | Keep away from heat, sparks and open flames. Do not spray towards the eyes or face. Wash hands after handling bulk quantities. Use in well-ventilated areas.                                                                    |
| Storage    | Store in a cool, dry, well-ventilated place away from direct sunlight, between 5 and 25 degrees C. Keep containers tightly closed and upright. Bulk quantities: store as a Class 3 flammable liquid in accordance with AS 1940. |
| Shelf life | 36 months from date of manufacture when stored as directed                                                                                                                                                                      |

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

| Control                | Detail                                                                                                    |
|------------------------|-----------------------------------------------------------------------------------------------------------|
| Exposure standard      | Ethanol: TWA 1000 ppm (1880 mg/m <sup>3</sup> ) (Safe Work Australia Workplace Exposure Standards)        |
| Engineering controls   | Good general ventilation in filling and production areas; local exhaust where bulk quantities are handled |
| Eye protection         | Safety glasses when handling bulk quantities                                                              |
| Skin protection        | Nitrile gloves for prolonged bulk handling; not required for consumer use                                 |
| Respiratory protection | Not required with adequate ventilation                                                                    |

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| Property                  | Value                                                                                          |
|---------------------------|------------------------------------------------------------------------------------------------|
| Appearance                | Clear pale amber liquid                                                                        |
| Odour                     | Fresh soapy floral fragrance                                                                   |
| pH                        | Not applicable                                                                                 |
| Flash point               | Approximately 18 - 22 degrees C (closed cup); estimated from the ethanol content, not measured |
| Initial boiling point     | Approximately 78 degrees C (ethanol)                                                           |
| Flammability              | Highly flammable liquid and vapour                                                             |
| Explosive limits          | Ethanol: 3.3 - 19 % v/v in air                                                                 |
| Vapour pressure           | Approximately 5.8 kPa at 20 degrees C (ethanol)                                                |
| Relative density          | Approximately 0.83 - 0.89 at 20 degrees C                                                      |
| Solubility                | Miscible with water and ethanol                                                                |
| Auto-ignition temperature | Approximately 363 degrees C (ethanol)                                                          |
| Viscosity                 | Low (water-like)                                                                               |

## SECTION 10: STABILITY AND REACTIVITY

Stable under recommended storage conditions. Highly flammable. Avoid heat, sparks, open flames, strong oxidising agents and prolonged exposure to light. Hazardous combustion products: carbon monoxide and carbon dioxide.

## SECTION 11: TOXICOLOGICAL INFORMATION

| Endpoint                                                       | Information                                                                                                     |
|----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Acute toxicity                                                 | Not classified. Ethanol: oral LD50 (rat) about 7060 mg/kg; dermal LD50 (rabbit) > 15800 mg/kg.                  |
| Skin corrosion / irritation                                    | Not classified as a skin irritant; repeated contact may cause dryness.                                          |
| Serious eye damage / irritation                                | Causes serious eye irritation (ethanol).                                                                        |
| Skin sensitisation                                             | Contains fragrance materials that may cause an allergic skin reaction in sensitised individuals; see Section 3. |
| Germ cell mutagenicity, carcinogenicity, reproductive toxicity | No ingredient is classified for these endpoints at the concentrations used.                                     |
| STOT                                                           | Ethanol vapour may cause drowsiness or dizziness at high concentrations in poorly ventilated spaces.            |
| Aspiration hazard                                              | Not classified.                                                                                                 |

## SECTION 12: ECOLOGICAL INFORMATION

Not classified as hazardous to the aquatic environment at the concentrations used. Ethanol is readily biodegradable and has low aquatic toxicity. Some fragrance materials are harmful to aquatic life; avoid release of bulk quantities to drains or waterways.

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of contents and containers in accordance with local council and state regulations. Do not pour bulk quantities down drains. Empty consumer containers may be recycled where facilities exist; bulk waste is a flammable liquid waste and should go to a licensed contractor.

## SECTION 14: TRANSPORT INFORMATION

| Category                            | Detail                                                                                                                                                                                                                                                                                  |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UN number                           | UN1266                                                                                                                                                                                                                                                                                  |
| Proper shipping name                | PERFUMERY PRODUCTS with flammable solvents                                                                                                                                                                                                                                              |
| Transport hazard class              | 3 (Flammable liquid)                                                                                                                                                                                                                                                                    |
| Packing group                       | II                                                                                                                                                                                                                                                                                      |
| Environmental hazards               | Not a marine pollutant                                                                                                                                                                                                                                                                  |
| ADG Code (road and rail, Australia) | Class 3, PG II. Limited quantity provisions apply to retail packs: inner packagings up to 1 L, combination packages up to 30 kg gross, marked with the limited quantity mark.                                                                                                           |
| IMDG / IATA                         | Class 3, PG II. Air transport of consumer quantities as Limited Quantity (Y341) or Excepted Quantity (E2) subject to carrier acceptance. Australia Post: perfumes are restricted dangerous goods; check the current Australia Post Dangerous and Prohibited Goods guide before posting. |

## SECTION 15: REGULATORY INFORMATION

Industrial Chemicals Act 2019 (Australia): to the best of Scent Room's knowledge all ingredients are listed on the Australian Inventory of Industrial Chemicals or are exempt for this use. Not scheduled in the Poisons Standard (SUSMP). Fragrance compound assessed against the IFRA Standards (51st Amendment) for Category 4; refer to the product's IFRA conformity documentation held by Scent Room.

## SECTION 16: OTHER INFORMATION

| Field         | Detail                             |
|---------------|------------------------------------|
| Prepared by   | Scent Room                         |
| Date of issue | September 2026                     |
| Version       | 2.2                                |
| Supersedes    | September 2026 issues (v2.0, v2.1) |

|                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Changes in this version | v2.2: Section 3 limited to sensitisers at or above the 0.1 %% disclosure threshold and allergen names without levels (formula confidentiality). v2.1: supplier ABN added; flash point stated as an estimate from the ethanol content; fragrance concentration stated per product (some perfumes now bottled at 25 %; room sprays at the supplier maximum where that is below 15 %); Section 15 wording clarified. v2.0: flammability reclassified to Category 2 (H225, DANGER, PG II); supplier address and telephone added; pictograms and full precautionary statements added; constituent disclosure updated; signature image removed. |
| Key to abbreviations    | GHS Globally Harmonized System; TWA time-weighted average; PG packing group; ADG Australian Dangerous Goods Code; IFRA International Fragrance Association; AICIS Australian Industrial Chemicals Introduction Scheme.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Disclaimer              | This SDS is provided in good faith and is based on current knowledge and the information available to Scent Room at the date of issue. It relates only to the product as supplied and used as directed.                                                                                                                                                                                                                                                                                                                                                                                                                                   |

## AUTHORISATION

| Field            | Detail                            |
|------------------|-----------------------------------|
| Authorised by    | Ray Breslin, Director, Scent Room |
| Date             | September 2026                    |
| Document version | 2.2                               |

Scent Room | ABN 57 483 020 269 | [scentroom.com.au](http://scentroom.com.au) | [hello@scentroom.com.au](mailto:hello@scentroom.com.au) | Suite 99, Shop 4, 255 Edmondson Ave, Austral  
NSW 2179, Australia | 02 9191 7381